

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MS28775-011	AN6227-6, AN6227-86	Shimmy Dampener	150 s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150A s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150B s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150C s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150D s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150E s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150F s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150G s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150H s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150J s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150F s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	F150G s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150H s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150J s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150M s/n all (When equipped with Shimmy Dampener 0442512-1.);

Project Engineer: <i>Keith Stoneman</i> Date: 12-19-2016	Quality Manager: <i>Debra Howell</i> Date: 12-20-16
Engineering Manager: <i>Don A. M. [Signature]</i> Date: 12-19-16	Manufacturing Manager: <i>[Signature]</i> Date: 12-19-16



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title: **Eligibility Chart SDKT-1**

Size: **A** Scale: **NA** Drawn: **KAP** Sheet: **1** of **12**

Drawing Number: **6383**

REVISION

A

A	12/19/2016	SEE REVISION SHEET
~	03/26/2013	ORIGINAL

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MS28775-011	AN6227-6, AN6227-86	Shimmy Dampener	FA150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	FA150L* s/n FA1500082 thru FA1500120 (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	FA150L (with FKA150-2311 and FKA150-2316)* s/n FA1500121 thru FA1500261 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA150M (with FKA150-2311 and FKA150-2316) s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FRA150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FRA150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172* s/n 46433 thru 46754 (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172A s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172B s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172C s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172D s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172E s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172F (T-41A) s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172G s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172H (T-41A) s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	172I s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172L s/n all (When equipped with Shimmy Dampener 0442512-1.);



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Eligibility Chart SDKT-1

Size: A	Scale: NA	Drawn: KAP	Sheet: 2 of 12
Drawing Number: 6383			REVISION
			A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MS28775-011	AN6227-6, AN6227-86	Shimmy Dampener	172M* s/n 17260759 thru 17263458 (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172M* s/n 17263459 thru 17267584 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172N s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172P s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172Q s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172R s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172S s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	F172D s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	F172E s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	F172F s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	F172G s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	F172H* s/n F172-0320 thru F172-0654 (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	F172H* s/n F17200655 thru F17200754 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172M* s/n F17200905 thru F17201234 (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	F172M* s/n F17201235 thru F17201514 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172N s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172P s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	FP172 s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	FR172E s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172F s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172G s/n all (When equipped with Shimmy Dampener 0442512-1.);

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Eligibility Chart SDKT-1			
Size: A	Scale: NA	Drawn: KAP	Sheet: 3 of 12
Drawing Number: 6383			REVISION A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MS28775-011	AN6227-6, AN6227-86	Shimmy Dampener	FR172H s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	FR172J s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	P172D s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	R172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	175* s/n 55896 thru 56238 (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	175A s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	175B s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	175C s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	182B s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	182C s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	182D s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);

MS28775-213	AN6227-18, AN6227-B18	Shimmy Dampener	150 s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
		Shimmy Dampener	150A s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
		Shimmy Dampener	150B s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
		Shimmy Dampener	150C s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
		Shimmy Dampener	150D s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
		Shimmy Dampener	150E s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
		Shimmy Dampener	150F s/n all (When equipped with Shimmy Dampener 0442512-1.);
		Shimmy Dampener	150G s/n all (When equipped with Shimmy Dampener 0442512-1.);
		Shimmy Dampener	150H s/n all (When equipped with Shimmy Dampener 0442512-1.);
		Shimmy Dampener	150J s/n all (When equipped with Shimmy Dampener 0442512-1.);

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Eligibility Chart SDKT-1			
Size: A	Scale: NA	Drawn: KAP	Sheet: 4 of 12
Drawing Number: 6383			REVISION A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MS28775-213	AN6227-18, AN6227-B18	Shimmy Dampener	150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150F s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	F150G s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150H s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150J s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA150L* s/n FA1500082 thru FA1500120 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA150L (with FKA150-2311 and FKA150-2316)* s/n FA1500121 thru FA1500261 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA150M (with FKA150-2311 and FKA150-2316) s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FRA150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FRA150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F152 s/n all (When equipped with Shimmy Dampener 0442512-1.);



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Eligibility Chart SDKT-1

Size: **A** Scale: **NA** Drawn: **KAP** Sheet: **5** of **12**

Drawing Number:

6383

REVISION

A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MS28775-213	AN6227-18, AN6227-B18	Shimmy Dampener	FA152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172* s/n 46433 thru 46754 (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172A s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172B s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172C s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172D s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172E s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172F (T-41A) s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172G s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172H (T-41A) s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172I s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172M* s/n 17260759 thru 17263458 (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172M* s/n 17263459 thru 17267584 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172N s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172P s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172Q s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172R s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172S s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172D s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172E s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172F s/n all (When equipped with Shimmy Dampener 0442512-1.);



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Eligibility Chart SDKT-1

Size: **A** Scale: **NA** Drawn: **KAP** Sheet: **6** of **12**

Drawing Number:

6383

REVISION

A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	MS28775-213	AN6227-18, AN6227-B18	Shimmy Dampener	F172G s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	F172H* s/n F172-0320 thru F172-0654 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172H* s/n F17200655 thru F17200754 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172M* s/n F17200905 thru F17201234 (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	F172M* s/n F17201235 thru F17201514 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172N s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172P s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	FP172 s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172E s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172F s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172G s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172H s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172J s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	P172D s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	R172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	175* s/n 55896 thru 56238 (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	175A s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	175B s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	175C s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	182B s/n all (When equipped with Shimmy Dampener 0442512-1.);

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Eligibility Chart SDKT-1			
Size: A	Scale: NA	Drawn: KAP	Sheet: 7 of 12
Drawing Number: 6383			REVISION A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	MS28775-213	AN6227-18, AN6227-B18	Shimmy Dampener	182C s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	182D s/n all (When equipped with Shimmy Dampener 0442512-1.);
A	MS28775-215	AN6227-20, AN6227B20	Shimmy Dampener	150G* s/n 15064533 thru 15067056 (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	F150G s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	172* s/n 46433 thru 46754 (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	172A s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	172B s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	172C s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	172D s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	172E s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	172F (T-41A) s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	172G s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	172H (T-41A) s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	F172D s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	F172E s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	F172F s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	F172G s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	F172H* s/n F172-0320 thru F172-0519 (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	FP172 s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	P172D s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	175* s/n 55896 thru 56238 (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	175A s/n all (When equipped with Shimmy Dampener 0542119-1.);



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Eligibility Chart SDKT-1

Size: A	Scale: NA	Drawn: KAP	Sheet: 8 of 12
Drawing Number: 6383			REVISION
			A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	MS28775-215	AN6227-20, AN6227B20	Shimmy Dampener	175B s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	175C s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	182B s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	182C s/n all (When equipped with Shimmy Dampener 0542119-1.);
A			Shimmy Dampener	182D s/n all (When equipped with Shimmy Dampener 0542119-1.);
SDKT-1				
			Shimmy Dampener	150 s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150A s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150B s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150C s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150D s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150E s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
			Shimmy Dampener	150F s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	150G* s/n 15064533 thru 15067056 (When equipped with Shimmy Dampener 0542119-1.);
			Shimmy Dampener	150G s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150H s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150J s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A150M s/n all (When equipped with Shimmy Dampener 0442512-1.);



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Eligibility Chart SDKT-1

Size: A

Scale: NA

Drawn: KAP

Sheet: 9

of 12

Drawing Number:

6383

REVISION

A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	SDKT-1		Shimmy Dampener	F150F s/n all (When equipped with Shimmy Dampener 0442512-6 or 0442512-2.);
A			Shimmy Dampener	F150G s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	F150H s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150J s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA150K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA150L* s/n FA1500082 thru FA1500120 (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	FA150L (with FKA150-2311 and FKA150-2316)* s/n FA1500121 thru FA1500261 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA150M (with FKA150-2311 and FKA150-2316) s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	FRA150L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FRA150M s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	A152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FA152 s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	172* s/n 46433 thru 46754 (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172A s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172B s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172C s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172D s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Eligibility Chart SDKT-1

Size: **A** Scale: **NA** Drawn: **KAP** Sheet: 10 of 12

Drawing Number:

6383

REVISION

A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
A	SDKT-1		Shimmy Dampener	172E s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172F (T-41A) s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172G s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	172H (T-41A) s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	172I s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172L s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172M* s/n 17260759 thru 17263458 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172M* s/n 17263459 thru 17267584 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172N s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172P s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172Q s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172R s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	172S s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172D s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	F172E s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	F172F s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	F172G s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	F172H* s/n F172-0320 thru F172-0519 (When equipped with Shimmy Dampener 0542119-1.);
			Shimmy Dampener	F172H* s/n F172-0320 thru F172-0654 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172H* s/n F17200655 thru F17200754 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172L s/n all (When equipped with Shimmy Dampener 0442512-1.);



McFarlane Aviation, Inc.
696 East 1700 Road
Baldwin City, Kansas

Title:

Eligibility Chart SDKT-1

Size: A

Scale: NA

Drawn: KAP

Sheet: 11 of 12

Drawing Number:

6383

REVISION

A

Rev	Part Number	Replaces	Location	Model and Serial Number Range
	SDKT-1		Shimmy Dampener	F172M* s/n F17200905 thru F17201234 (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	F172M* s/n F17201235 thru F17201514 (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172N s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	F172P s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	FP172 s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	FR172E s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172F s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172G s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172H s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172J s/n all (When equipped with Shimmy Dampener 0442512-1.);
			Shimmy Dampener	FR172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	P172D s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
			Shimmy Dampener	R172K s/n all (When equipped with Shimmy Dampener 0442512-1.);
A			Shimmy Dampener	175* s/n 55896 thru 56238 (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	175A s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	175B s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	175C s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	182B s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	182C s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);
A			Shimmy Dampener	182D s/n all (When equipped with Shimmy Dampener 0442512-1 or 0542119-1.);

* Denotes partial model eligibility

"MC" prefix denotes McFarlane Aviation, Inc. manufacture

Report Generated: 12/19/2016 1:05:47PM

		McFarlane Aviation, Inc. 696 East 1700 Road Baldwin City, Kansas	
Title: Eligibility Chart SDKT-1			
Size: A	Scale: NA	Drawn: KAP	Sheet: 12 of 12
Drawing Number: 6383			REVISION A